1. Find a power series expansion of $\int_0^1 e^{-x^3} dx$. Approximate the value of this integral accurate within 0.001.

$$e^{x} = \sum_{k=0}^{\infty} \frac{x^{k}}{k!} \quad \Rightarrow \quad e^{-x^{3}} = \sum_{k=0}^{\infty} \frac{(-1)^{k} x^{3k}}{k!}$$
$$\Rightarrow \quad \int_{0}^{1} e^{-x^{3}} dx = \int_{0}^{1} \left(\sum_{k=0}^{\infty} \frac{(-1)^{k} x^{3k}}{k!} \right) dx$$
$$\Rightarrow \quad \int_{0}^{1} e^{-x^{3}} dx = \sum_{0}^{\infty} (-1)^{k} \left(\frac{x^{3k+1}}{(3k+1)k!} \right) \Big|_{0}^{1}$$
$$\Rightarrow \quad \int_{0}^{1} e^{-x^{3}} dx = \sum_{0}^{\infty} (-1)^{k} \frac{1}{(3k+1)k!}$$

Math 104-Calculus 2 (Sklensky)

Solutions to In-Class Work

December 11, 2009 1 / 4

▲□▶ ▲圖▶ ▲ 臣▶ ▲ 臣▶ 臣 のへで

1. (continued)

$$\int_0^1 e^{-x^3} dx = \sum_0^\infty (-1)^k \frac{1}{(3k+1)k!}$$

Approximating this within .001 is just like approximating any other alternating series – simply make $a_{k+1} < .001$.

$$\frac{1}{(3(k+1)+1)(k+1)!} < .001 \Rightarrow (3k+4)(k+1)! > 1000$$

Experimenting with Maple, I find that N = 4 will do. Therefore, accurate to within .001,

$$\int_0^1 e^{-x^3} dx \approx 1 - 1/4 + 1/14 - 1/60 + 1/312 \approx .80797.$$

Compare this to the approximation Maple gives: .80751.

Math 104-Calculus 2 (Sklensky)

Solutions to In-Class Work

December 11, 2009 2 / 4

2. A Power Series for π !

2.1 Find a power series expansion for $\frac{1}{1+x^2}$.

Since a power series expansion for $\frac{1}{1-x}$ is

$$\frac{1}{1-x} = P(x) = 1 + x + x^2 + x^3 + \dots,$$

we have

$$\frac{1}{1+x^2} = P(-x^2) = 1 - x^2 + x^4 - x^6 + \cdots$$

2.2 Find a power series expansion for $\arctan(x)$.

Therefore

arctan(x) =
$$\int \frac{1}{1+x^2} dx = \int 1 - x^2 + x^4 - x^6 + \cdots dx$$

= $x - \frac{x^3}{3} + \frac{x^5}{5} - \frac{x^7}{7} + \cdots$

Math 104-Calculus 2 (Sklensky)

Solutions to In-Class Work

▲□▶ ▲圖▶ ▲ 臣▶ ▲ 臣▶ 臣 のへで

2. A Power Series for π !

2.3 Find a power series expansion for $\frac{\pi}{4} = \arctan(1)$.

$$\arctan(x) = \sum_{k=0}^{\infty} (-1)^k \frac{x^{2k+1}}{(2k+1)}$$
$$\Rightarrow \frac{\pi}{4} = 1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \cdots$$
$$= \sum_{k=0}^{\infty} \frac{(-1)^k}{(2k+1)}$$

2.4 Find a power series expansion for π .

$$\pi = 4\left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \cdots\right)$$
$$= \sum_{k=0}^{\infty} \frac{(-1)^k \cdot 4}{(2k+1)}$$

Math 104-Calculus 2 (Sklensky)

Solutions to In-Class Work

December 11, 2009 4 / 4

▲□▶ ▲圖▶ ▲ 臣▶ ▲ 臣▶ 臣 のへで